


EA

EmeryAllen



The Leader in Miniature LED Replacement Lamps

12V PRODUCT LINE

BA15S SERIES




1 7/8"

1 1/8"

200lm
2.0W

EA-BA15S-2.0W-001-279F
EA-BA15S-2.0W-001-309F




2 1/4"

1 5/16"

400lm
4.0W

EA-BA15S-4.0W-001-279F
EA-BA15S-4.0W-001-309F

GY6.35 SERIES



1 7/8"

1 7/16"

425lm
4.0W

EA-GY6.35-4.0W-001-279F
EA-GY6.35-4.0W-001-309F
EA-GY6.35-4.0W-001-409F



2"

1 5/16"

550lm
5.0W

EA-GY6.35-5.0W-001-279F-D
EA-GY6.35-5.0W-001-309F-D
EA-GY6.35-5.0W-001-409F-D

G4 SERIES



1 5/16"

1"

100lm
1.0W

EA-G4-1.0W-001-279F
EA-G4-1.0W-001-309F



1 7/16"

1 1/8"

150lm
1.5W

EA-G4-1.5W-001-279F
EA-G4-1.5W-001-309F



1 1/2"

1 3/16"

200lm
2.0W

EA-G4-2.0W-001-279F
EA-G4-2.0W-001-309F



1 1/2"

1 1/8"

250lm
2.5W

EA-G4-2.5W-001-279F
EA-G4-2.5W-001-309F



1 3/4"

1 3/8"

300lm
3.0W

EA-G4-3.0W-001-279F
EA-G4-3.0W-001-309F



1 7/8"

1 7/16"

425lm
4.0W


EA-G4-4.0W-001-279F
EA-G4-4.0W-001-309F



1 5/16"

200lm
2.0W

EA-G4-2.0W-003-2790
EA-G4-2.0W-003-3090



1 1/2"

300lm
3.0W

EA-G4-3.0W-003-2790
EA-G4-3.0W-003-3090



1"

1 1/8"

300lm
3.0W

EA-G4-3.0W-005-2790
EA-G4-3.0W-005-3090

S8 SERIES



2 1/8"

400lm
4.0W

EA-S8-4.0W-004-279W
EA-S8-4.0W-004-309W

T5 SERIES



1 3/8"

150lm
1.5W

EA-T5-1.5W-001-279F
EA-T5-1.5W-001-309F




1 7/16"

250lm
2.5W

EA-T5-2.5W-001-279F
EA-T5-2.5W-001-309F

TRANSFORMER



2 1/4"

1 1/4"

60W

EA-60W-EPS-LED

SEA TURTLE LIGHTING

 These bulbs provide low lumen, amber-colored lighting that is sea turtle friendly.




2 1/4"

1 3/16"

45lm
2.0W

EA-BA15S-2.0W-001-AMB




1 1/2"

1 1/8"

25lm
1.0W

EA-G4-1.0W-001-AMB




1 7/8"

1 7/16"

45lm
2.0W

EA-G4-2.0W-001-AMB



1 5/16"

30lm
2.0W

EA-G4-2.0W-003-AMB



2 1/8"

35lm
2.0W

EA-S8-2.0W-004-AMB



1 7/16"

25lm
1.0W

EA-T5-1.0W-001-AMB



2 7/16"

1 3/4"

65lm
3.0W

EA-E11-3.0W-001-AMB



3 3/8"

2 1/2"

65lm
3.0W

EA-E12-3.0W-002-AMB



2 1/4"

1 1/4"

70lm
3.0W

EA-E26-3.0W-001-AMB




4 3/8"

3 3/8"

140lm
6.0W

EA-E26-6.0W-001-AMB




2 7/16"

1 3/4"

65lm
3.0W

EA-G9-3.0W-001-AMB




3 1/8"

1 1/8"

1 3/4"

75lm
4.0W

EA-R7S-4.0W-AMB



4 5/8"

1 1/8"

3 3/8"

140lm
6.0W

EA-R7S-6.0W-AMB

DIMMING DISCLAIMER: All Sea Turtle Lighting is non-dimmable and suitable for on/off applications only.

120V PRODUCT LINE



JA8 Compliant lamp in
2700K and 3000K

BA15D SERIES



450lm
4.5W

EA-BA15D-4.5W-121-279F-D
EA-BA15D-4.5W-121-309F-D



550lm
5.0W

EA-BA15D-5.0W-121-279F-D
EA-BA15D-5.0W-121-309F-D

E11 SERIES



450lm
4.5W

EA-E11-4.5W-001-279F-D
EA-E11-4.5W-001-309F-D
EA-E11-4.5W-001-409F-D



550lm
5.0W

EA-E11-5.0W-001-279F-D
EA-E11-5.0W-001-309F-D
EA-E11-5.0W-001-409F-D

E26 SERIES



550lm
5.0W

EA-E26-5.0W-001-279F-D
EA-E26-5.0W-001-309F-D

FILAMENT SERIES



500lm
5.0W


EA-B10-5.0W-2780-D
EA-B10-5.0W-3080-D



500lm
5.0W

EA-C10-5.0W-2780-D
EA-C10-5.0W-3080-D

E12 SERIES




250lm
2.5W

EA-E12-2.5W-001-279F-D
EA-E12-2.5W-001-309F-D



450lm
4.5W

EA-E12-4.5W-001-279F-D
EA-E12-4.5W-001-309F-D
EA-E12-4.5W-001-409F-D



550lm
5.0W

EA-E12-5.0W-001-279F-D
EA-E12-5.0W-001-309F-D
EA-E12-5.0W-001-409F-D



550lm
5.0W

EA-E12-5.0W-002-279F-D
EA-E12-5.0W-002-309F-D
EA-E12-5.0W-002-409F-D

Tech Tips:


All bulbs are limited to the dimming voltage range of the dimmer control. If a ceiling fan remote only dims to 50% lumen output, even non-LED bulbs will turn off at that point.

No LED lamp should be used in fixtures which incorporate a HI/LO/OFF switch (typically found in under cabinet fixtures).

Lamps used for anything other than their intended purpose will void the EmeryAllen Limited Lifetime Warranty. Please refer to the EmeryAllen Technical Guide for further information and tips.


LUTRON
DIMMER COMPATIBLE

G8 SERIES



250lm
2.5W

EA-G8-2.5W-001-279F-D
EA-G8-2.5W-001-309F-D



450lm
4.5W


EA-G8-4.5W-001-279F-D
EA-G8-4.5W-001-309F-D



550lm
5.0W

EA-G8-5.0W-001-279F-D
EA-G8-5.0W-001-309F-D

GU24 SERIES



550lm
5.0W

EA-GU24-5.0W-001-279F-D
EA-GU24-5.0W-001-309F-D

G9 SERIES



250lm
2.5W

EA-G9-2.5W-001-279F-D
EA-G9-2.5W-001-309F-D



300lm
3.0W

EA-G9-3.0W-001-279F-D
EA-G9-3.0W-001-309F-D



450lm
4.5W


EA-G9-4.5W-001-279F-D
EA-G9-4.5W-001-309F-D
EA-G9-4.5W-001-409F-D



550lm
5.0W


EA-G9-5.0W-001-279F-D
EA-G9-5.0W-001-309F-D
EA-G9-5.0W-001-409F-D

R7S SERIES




550lm
5.0W

EA-R7S-5.0W-2780-D
EA-R7S-5.0W-3080-D




900lm
8.0W

EA-R7S-8.0W-2780-D
EA-R7S-8.0W-3080-D



675lm
6.0W


EA-R7S-6.0W-3080
Non-Dimmable



1100lm
10.0W

EA-R7S-10.0W-3080
Non-Dimmable

MR16 PRODUCT LINE - *New for 2019!*



Because an MR16 doesn't have to look like an MR16.

Bring your vision to life with our versatile line of MR16 LED lamps. Three lumen outputs easily replace equivalent 25W, 50W and 75W halogen bulbs in endless lighting applications including:

- Landscaping
- Retail
- Art Galleries/Museums
- Track Lighting
- Downlighting/Recessed Cans
- Pendants/Wall Lights
- Task Lighting

Our unmatched combination of 90+ CRI, over 80 lumens/watt efficacy and infinite dimming ensure you won't compromise color rendering for energy savings. And, with five beam spreads to choose from, you can adjust to any space.

	3.0W 270-310lm	5.0W 390-450lm	7.0W 500-550lm
15°	EA-MR16-3.0W-15D-2790-D EA-MR16-3.0W-15D-3090-D	EA-MR16-5.0W-15D-2790-D EA-MR16-5.0W-15D-3090-D	EA-MR16-7.0W-15D-2790-D EA-MR16-7.0W-15D-3090-D
24°	EA-MR16-3.0W-24D-2790-D EA-MR16-3.0W-24D-3090-D	EA-MR16-5.0W-24D-2790-D EA-MR16-5.0W-24D-3090-D	EA-MR16-7.0W-24D-2790-D EA-MR16-7.0W-24D-3090-D
36°	EA-MR16-3.0W-36D-2790-D EA-MR16-3.0W-36D-3090-D	EA-MR16-5.0W-36D-2790-D EA-MR16-5.0W-36D-3090-D	EA-MR16-7.0W-36D-2790-D EA-MR16-7.0W-36D-3090-D
60°	EA-MR16-3.0W-60D-2790-D EA-MR16-3.0W-60D-3090-D	EA-MR16-5.0W-60D-2790-D EA-MR16-5.0W-60D-3090-D	EA-MR16-7.0W-60D-2790-D EA-MR16-7.0W-60D-3090-D
120°	EA-MR16-3.0W-120D-2790-D EA-MR16-3.0W-120D-3090-D	EA-MR16-5.0W-120D-2790-D EA-MR16-5.0W-120D-3090-D	EA-MR16-7.0W-120D-2790-D EA-MR16-7.0W-120D-3090-D




Our line of 4.5W and 5.0W 120V lamps are JA8 Compliant. We exceeded California's requirements in every test category, raising the bar on quality standards.

When it comes to BA15D, E11, G8, G9, GU24 4.5W and 5.0W lamps with JA8 compliance, you'll only find them here at EmeryAllen.



Our Sea Turtle Bulbs are approved by the Florida Wildlife Commission for use in areas requiring artificial lighting adjacent to ecologically sensitive areas, sea turtle nesting beaches, migratory corridors, and Dark Sky Friendly communities.

Sea Turtle Bulbs are available in BA15S, E11, E12, E26, G4, G9, R7S, S8 and T5 bases.



Our fan bulbs are uniquely designed to address common problems associated with ceiling fans.

- Sizes that prevent uneven light and shadows
- Full compatibility with all Lutron/Creston and ETC dimmers.
- Seamless use with remote controls

Available in E11, E12, E26 and GU24 bases.




LIMITED LIFETIME WARRANTY

Here at EmeryAllen, we value every customer and strive for your complete satisfaction with all of our products. As a part of the EmeryAllen difference, we dedicate ourselves to the ultimate in quality, performance and customer service. For the original purchaser, we warrant that all products will be safe for their intended use and are free from defects in material, functionality and workmanship when installed, used and maintained properly during the product's specified lifetime.



FAN BULB PRODUCT LINE

Our Fan Bulb product line was specifically engineered for use in ceiling fans. However, any fixture needing up to 950 lumens, full dimming with no flicker and special sizes will enjoy the same benefits you'll experience with ceiling fans.





SCONCES

PIANO OR BANKER'S LAMPS



PENDANTS

OUTDOOR FIXTURES




CHANDELIERS

E11 SERIES



EA-E11-8.5W-001-279F-D
EA-E11-8.5W-001-309F-D



EA-E11-9.5W-001-279F-D
EA-E11-9.5W-001-309F-D

E12 SERIES



EA-E12-8.5W-001-279F-D
EA-E12-8.5W-001-309F-D



EA-E12-9.5W-001-279F-D
EA-E12-9.5W-001-309F-D

E26 SERIES



EA-E26-8.5W-001-279F-D
EA-E26-8.5W-001-309F-D



EA-E26-9.5W-001-279F-D
EA-E26-9.5W-001-309F-D

GU24 SERIES



EA-GU24-8.5W-001-279F-D
EA-GU24-8.5W-001-309F-D



EA-GU24-9.5W-001-279F-D
EA-GU24-9.5W-001-309F-D



Purchase Orders and Shipment Status:

843.480.4473, ext 1

Orders@EmeryAllen.com

Customer Support and New Account Applications:

843.480.4473, ext 3

Info@EmeryAllen.com

Accounting:

843.480.4473, ext 2

© 2019 EmeryAllen, LLC. All Rights Reserved

Product images are for illustration purposes only. The information contained in this brochure is designed to be as factual and accurate as possible. All product sizes are nominal. Products may vary slightly from their respective descriptions. All products, product specifications and performance data may change without notice to improve reliability, function or design. The designs reproduced by the printing process in this brochure have been matched as closely as possible. All text, images, graphics, and other materials in this publication are subject to the copyright and other intellectual property rights of EmeryAllen, LLC. These materials may not be reproduced, distributed, modified or reposted without the express written consent of EmeryAllen, LLC.

-- Patent Pending --

843.480.4473 | Charleston, SC | EmeryAllen.com